

Megazyme Building 1, Bray Business Park, Bray, Co. Wicklow, A98 YV29, Ireland.

Tel: + 353 1 2861220 Fax: + 353 1 2861264

Certificate of Analysis

Product: Pentaacetyl-chitopentaose

 Cat. No:
 O-CHI5

 Lot. No:
 190705

 Expiry Date:
 N/A

Parameters:

Purity By	Specification	Result
HPLC	>95%	99.8%

This lot meets our specification.

Signature: Gara Milayllin Date: 31.Jul.2019

Ciara McLoughlin

Biochemical Analyst/Research Assistant

Carbohydrate and Enzyme Research Laboratory

(as this certificate is a computer printout, it has not been signed or dated by hand)



Megazyme Building 1, Bray Business Park, Bray, Co. Wicklow, A98 YV29, Ireland.

Tel: + 353 1 2861220 Fax: + 353 1 2861264

HPLC:

Product: O-CHI5, Lot 190705

Column: 2 x Tosoh TSK-GEL G2500 PWXL (7.8 x 300 mm) plus guard column (7.8 x 35mm)

Temperature: 80°C Mobile phase: dH₂O Flow rate: 0.5 mL/min

HPLC System: Waters Alliance e2695 Separations Module, Waters 2414 RI detector and

Empower v 3 software

